#### www.julianfoye.co.uk

TRURO ST AUSTELL WADEBRIDGE HAYLE Tregolls Road, TR1 1SB 01872 222 226 8 Manfield Way, Holmbush, PL25 3HQ 01726 70 711 Bridgend, PL27 6DA 01208 814 242 4 Fore Street, Copperhouse, TR27 4DY 01736 755 700

Standard Combinations oak heartw.Umato brushed Model no. 7170- CAYA Typenliste 2024

CAYA

Oak heartw.Umato brushed Model no. 7170- CAYA Typenliste 2024

Combi no. 24 A
Application
satinised glass anthr.
Combination consisting of:


Combi no. 24 W Application satinised glass white Combination consisting of:


1 x 7093 1 x 5182 1 x 2201 1 x 7097 1 x 5186 1 x 2205

341 / 176 / 49/24

Size W/H/D in cm satinised glass anthr. satinised glass white

Extras	Art. no.
conc. light display	9711
panel lighting	9812
shelf light	9824





Application satinised	no. 34 A on glass anthr. ion consisting of:	Application satinised	no. 34 W on glass white ion consisting o
1 x 7093 1 x 2201	1 x 1201 1 x 7042	1 x 7097 1 x 2205	1 x 1201 1 x 7046
and the second	I/D in cm I glass anthr.	317 / 198 /	49/24
satinised	d glass white		
Extras		Art. no.	
conc. ligh	nt display	9711	
shelf ligh	it	9823	

Due to the design, the LED strips are not interchangeable, as they are firmly attached to carrier profiles such as e.g. aluminum profiles and must be glued. In this way, we guarantee a consistently long service life for our lights. We reserve the right to make technical changes to the model and dimensions! Models protected by law! Due to different designs and functions, the dimensions specified on the order confirmation may vary slightly in individual cases.

Standard Combinations


#### www.julianfoye.co.uk

TRURO ST AUSTELL WADEBRIDGE HAYLE

oak heartw.Umato brushed

Tregolls Road, TR1 1SB 01872 222 226 8 Manfield Way, Holmbush, PL25 3HQ 01726 70 711 Bridgend, PL27 6DA 01208 814 242

4 Fore Street, Copperhouse, TR27 4DY 01736 755 700



Combi no. 60 A glass application in satinised glass anthr. Combination consisting of:

1 x 3221 1 x 0069 1 x 1181 1 x 1131 Combi no. 60 W glass application in satinised glass white Combination consisting of: 1 x 3225 1 x 0069

Typenliste 2024

1 x 1181 1 x 1135

Size W/H/D in cm 324 / 223 / 49/24

Model no. 7170- CAYA

satinised glass anthr. satinised glass white

 Extras
 Art. no.

 conc. light display
 9611

 panel lighting
 9622

 shelf light
 9823

### Combi no. V70 A

glass application in satinised glass anthr. Combination consisting of:

1 x 3231 1 x 6182

#### Combi no. V70 W


glass application in satinised glass white Combination consisting of:

1 x 3235 1 x 6186

Size W/H/D in cm 296 / 215 / 49

satinised glass anthr. satinised glass white

Extras	Art. no.
conc. light display	9723
panel lighting	9825



#### Combi no. V72 A

glass application in satinised glass anthr. Combination consisting of:

1 x 1301 1 x 6181

### Combi no. V72 W

glass application in satinised glass white Combination consisting of:


1 x 1305 1 x 6185



303 / 215 / 44

satinised glass anthr. satinised glass white

Extras	Art. no.
panel lighting	9825




#### Combi no. V74 A glass application in satinised glass anthr.

1 x 0087 1 x 7232 1 x 1231 Combi no. V74 W glass application in satinised glass white

1 x 0085 1 x 7232 1 x 123

Size W/H/D in cm	348/210/44
atinised glass anthr.	
atinised glass white	-42

Extras	Art. no.
conc. light display	9714
shelf light	9826



#### www.julianfoye.co.uk


TRURO ST AUSTELL WADEBRIDGE HAYLE

Tregolls Road, TR1 1SB 01872 222 226 8 Manfield Way, Holmbush, PL25 3HQ 01726 70 711 Bridgend, PL27 6DA 01208 814 242 01736 755 700 4 Fore Street, Copperhouse, TR27 4DY

Combi no. V78 W

glass application in satinised glass white Combination consisting of:

Standard Combination	ns oak heartw.Umato brushed	Model no. 7170- CAYA Typenliste 2024
Combi no. V76 A glass application in satinised glass anthr. Combination consisting of:	Combi no. V76 W glass application in satinised glass white Combination consisting of:	
1 x 1231	1 x 1235	NEU
1 x 4011	1 x 4015	The state of the s
Size W/H/D in cm	266 / 186 / 44	
satinised glass anthr.		
satinised glass white		
Extras	Art. no.	
conc. light display	9721	



### Combi no. V78 A

glass application in satinised glass anthr. Combination consisting of:

1 x 1232

1 x 6181

Size W/H/D in cm	350/215/44
satinised glass anthr.	
satinised glass white	

Extras	Art. no.
panel lighting	9825

### Combi no. V80 A

glass application in satinised glass anthr. Combination consisting of:

1 x 3231 1 x 3235


Size W/H/D in cm 244 / 210 / 49 satinised glass anthr. satinised glass white

Combi no. V80 W

Combination consisting of:

satinised glass white

Extras	Art. no.
conc. light display	9723
shelf light	9826




Combi no. V82 W

Combination consisting of:

glass application in

satinised glass white



#### Combi no. V82 A glass application in

satinised glass anthr. Combination consisting of:

1 x 1301 1 x 1305

1 x 4141 1 x 4145

Size W/H/D in cm	303 / 186 / 44
satinised glass anthr.	
satinised glass white	

Extras	Art. no.
conc. light display	9721


Due to the design, the LED strips are not interchangeable, as they are firmly attached to carrier profiles such as e.g. aluminum profiles and must be glued. In this way, we guarantee a consistently long service life for our lights. We reserve the right to make technical changes to the model and dimensions! Models protected by law! Due to different designs and functions, the dimensions specified on the order confirmation may vary slightly in individual cases.

#### www.julianfoye.co.uk

TRURO ST AUSTELL WADEBRIDGE HAYLE Tregolls Road, TR1 1SB 01872 222 226 8 Manfield Way, Holmbush, PL25 3HQ 01726 70 711 Bridgend, PL27 6DA 01208 814 242

4 Fore Street, Copperhouse, TR27 4DY 01736 755 700

Standard Combinations oak heartw.Umato brushed Model no. 7170- CAYA Typenliste 2024



Combi no. V84 A glass application in satinised glass anthr. Combination consisting of:

1 x 7081 1 x 7232 1 x 1231 Combi no. V84 W glass application in satinised glass white Combination consisting of:

1 x 7083 1 x 7232 1 x 1235

Size W/H/D in cm 357 / 210 / 44 satinised glass anthr. satinised glass white

Extras	Art. no.
conc. light display	9715
shelf light	9826

Combi no. V86 A

glass application in satinised glass anthr. Combination consisting of

1 x 1181

1 x 3231 1 x 4012 Combi no. V86 W glass application in


glass application in satinised glass white Combination consisting of:

1 x 3235 1 x 1181 1 x 4016

310/181/49

Size W/H/D in cm satinised glass anthr. satinised glass white

Extras	Art. no.	
conc. light display	9723	
conc. light display	9721	
shelf light	9823	



Combi no. V88 A glass application in satinised glass anthr. Combination consisting of:


1 x 1231

Combi no. V88 W glass application in satinised glass white Combination consisting of:

231 1 x 1235 232 1 x 7232

Size W/H/D in cm 254 / 210 / 44 satinised glass anthr. satinised glass white

Extras	Art. no.	
shelf light	9826	



Combi no. V90 A
Application
satinised glass anthr.

Combi no. V90 W
Application
satinised glass white

1x 1302 1x 1306 2x 1161 2x 1161


consisting of:

satinised glass white

Size W/H/D in cm 288 / 167 / 44 satinised glass anthr.

consisting of:


Extras		Art. no.
panel lighting	2x	9827



#### www.julianfoye.co.uk


TRURO ST AUSTELL WADEBRIDGE HAYLE Tregolls Road, TR1 1SB 01872 222 226 8 Manfield Way, Holmbush, PL25 3HQ 01726 70 711 Bridgend, PL27 6DA 01208 814 242

4 Fore Street, Copperhouse, TR27 4DY 01736 755 700




#### www.julianfoye.co.uk

TRURO ST AUSTELL WADEBRIDGE HAYLE Tregolls Road, TR1 1SB 01872 222 226 8 Manfield Way, Holmbush, PL25 3HQ 01726 70 711 Bridgend, PL27 6DA 01208 814 242 4 Fore Street, Copperhouse, TR27 4DY 01736 755 700



#### www.julianfoye.co.uk


TRURO ST AUSTELL WADEBRIDGE HAYLE Tregolls Road, TR1 1SB 01872 222 226 8 Manfield Way, Holmbush, PL25 3HQ 01726 70 711 Bridgend, PL27 6DA 01208 814 242 4 Fore Street, Copperhouse, TR27 4DY 01736 755 700



Due to the design, the LED strips are not interchangeable, as they are firmly attached to carrier profiles such as e.g. aluminum profiles and must be glued. In this way, we guarantee a consistently long service life for our lights. We reserve the right to make technical changes to the model and dimensions! Models protected by law! Due to different designs and functions, the dimensions specified on the order confirmation may vary slightly in individual cases.

#### www.julianfoye.co.uk

TRURO ST AUSTELL WADEBRIDGE HAYLE Tregolls Road, TR1 1SB 01872 222 226 8 Manfield Way, Holmbush, PL25 3HQ 01726 70 711 Bridgend, PL27 6DA 01208 814 242 4 Fore Street, Copperhouse, TR27 4DY 01736 755 700




Due to the design, the LED strips are not interchangeable, as they are firmly attached to carrier profiles such as e.g. aluminum profiles and must be glued. In this way, we guarantee a consistently long service life for our lights. We reserve the right to make technical changes to the model and dimensions! Models protected by law! Due to different designs and functions, the dimensions specified on the order confirmation may vary slightly in individual cases.

#### www.julianfoye.co.uk

TRURO ST AUSTELL WADEBRIDGE HAVI F Tregolls Road, TR1 1SB 01872 222 226 8 Manfield Way, Holmbush, PL25 3HQ 01726 70 711 Bridgend, PL27 6DA 01208 814 242

4 Fore Street, Copperhouse, TR27 4DY 01736 755 700



Due to the design, the LED strips are not interchangeable, as they are firmly attached to carrier profiles such as e.g. aluminum profiles and must be glued. In this way, we guarantee a consistently long service life for our lights. We reserve the right to make technical changes to the model and dimensions! Models protected by law! Due to different designs and functions, the dimensions specified on the order confirmation may vary slightly in individual cases.



#### www.julianfoye.co.uk


TRURO ST AUSTELL WADEBRIDGE HAYLE Tregolls Road, TR1 1SB 01872 222 226 8 Manfield Way, Holmbush, PL25 3HQ 01726 70 711 Bridgend, PL27 6DA 01208 814 242

4 Fore Street, Copperhouse, TR27 4DY 01736 755 700

#### Model no. 7170- CAYA Display cabinets/ Single units oak heartw.Umato brushed Typenliste 2024 Highboard Highboard Display cabinet le. Display cabinet ri. I door satinised glass anthracite with end grain timber 1 door sat. glass anthr./ glass door 4 wooden shelves 2 doors satinised glass anthracite 1 door satinised glass anthracite 2 doors satinised glass anthracite/ 1 door satinised glass anthracite with end grain timber 1 door sat. glass **anthr.**/ glass door 4 wooden shelves 1 door satinised glass anthracite with end grain timber 1 drawer satinised glass anthracite 5 wooden shelves with end grain timbe 1 drawer satinised glass anthracite 1 wooden shelf 1 wooden shelf 1 glass shelf wooden shelf wooden shelves 1 glass shelf Application 2 glass shelves 1 wooden shelf glass shelves satinized glass extra: conc. extra: conc. extra: conc. anthracite/ lighting 1 x 9712 Size in cm W 88,5 H 138 D 39 W 88,5 H 138 D 39 W 136,5 H 138 D 39 W 136,5 H 138 D 39 Art. no. 7133 A 7094 A ri. 7093 A le. Highboard Display cabinet le. Display cabinet ri. Highboard 1 door satinised glass white 1 door satinised glass white 2 doors satinised glass white/ glass with end grain timber with end grain timber 1 door satinised glass white/ glass 1 door satinised glass white 1 door satinised glass white/ glass with end grain timber 1 door satinised glass white 1 drawer satinised glass white with end grain timber 4 wooden shelves wooden shelves wooden shelves Application 1 wooden shelf 1 wooden shelf 1 wooden shelf 5 wooden shelves glass shelf 1 glass shelf 2 glass shelves 1 wooden shelf satinised glass shelves glass white extra: conc. extra: conc. extra: conc. lighting 1 x 9711 lighting 1 x 9711 lighting 1 x 9712 W Size in cm W 88,5 H 138 D 39 W 88,5 H 138 D 39 W 136,5 H 138 D 39 W 136,5 H 138 D 39 Art, no. 7097 W le. 7098 W ri. 7137 W 7138 W Sideboard Sideboard Sideboard Sideboard 3 doors satinised glass brown 2 doors satinised glass anthracite 1 door satinised glass anthracite 2 doors satinised glass anthracite with end grain timber drawer satinised glass anthracite with end grain timber with end grain timber with end grain timber 1 drawer satinised glass anthracite 2 doors satinised glass anthracite/ 1 drawer satinised glass anthracite 2 fixed wooden shelves 1 glass door with end grain timber glass door with end grain timber 1 drawer satinised glass anthracite storage space 1 storage space 2 fixed wooden shelves 2 wooden shelves ex 1 wooden shelf Application 1 glass shelf 1 glass shelf extra: conc. extra: conc. extra: conc. satinized lighting 1 x 9611 lighting 1 x 9722 lighting 1 x 9611 glass anthracite/ Size in cm W 175 H 80,5 D 49 Art. no. 4174 A 4192 A Sideboard Sideboard Sideboard 3 doors satinised glass white 1 door satinised glass white 2 doors satinised glass white 2 doors satinised glass white with end grain timber with end grain timber with end grain timber with end grain timber 1 drawer satinised glass white 2 doors satinised glass white/ glass 1 drawer satinised glass white I drawer satinised glass white 2 fixed wooden shelves 2 wooden shelves glass door with end grain timber glass door with er 1 drawer satinised glass white 1 storage space 1 storage space 1 wooden shelf 1 glass shelf 2 fixed wooden shelves Application extra: conc. 2 wooden shelves 1 glass shelf extra: conc extra: conc. lighting 1 x 9722 satinised lighting lighting 1 x 9611 1 x 9611 glass white W Size in cm W 175 H 80,5 D 49 W 175 H 80.5 D 49 W 175 H 80,5 D 49 W 175 H 80,5 D 49 Art. no. 4177 W 4195 W 4196 W 4178 W

#### www.julianfoye.co.uk

TRURO ST AUSTELL WADEBRIDGE HAYLE Tregolls Road, TR1 1SB 01872 222 226 8 Manfield Way, Holmbush, PL25 3HQ 01726 70 711 Bridgend, PL27 6DA 01208 814 242 4 Fore Street, Copperhouse, TR27 4DY 01736 755 700





#### www.julianfoye.co.uk

TRURO ST AUSTELL WADEBRIDGE HAYLE Tregolls Road, TR1 1SB 01872 222 226 8 Manfield Way, Holmbush, PL25 3HQ 01726 70 711 Bridgend, PL27 6DA 01208 814 242

4 Fore Street, Copperhouse, TR27 4DY 01736 755 700

Extras oak heartw.Umato brushed Model no. 7170- CAYA Typenliste 2024

Hanging lamp with fabric covered cable Hanging lamp with fabric covered cable Hanging lamp with fabric covered cable Set of hanging lamps with fabric covered cable consisting of: 9904, 9905, 9906, 9907, 9908, 9909

without bulbs,

Dimmer and bulb are to be bought by customer and checked for compability.

Size in cm Ø 11/8 H 65/43 Ø 11/8 H 30/57 Ø 12/12 H 35/35 Ø 9906 9907 9908 9909 9910

Beam lamp without bulbs, extern dimming function possible (depending what lights you use)



Size in cm

W 150 H 14 D 14

Art. no. 9901

conc. light display 3,84 Watt For items: 0051/0052 0055/0056 3171/3175 3221/3225 4191/4192 4195/4196

This luminaire contains built in LED-lamps that cannot be changed. Energy efficiency category G HARTMANN 100097000, 100097000

**≥**₩

Size in cm

Size in cm

W 27 H 27

Art. no. 9611

panel lighting 3,84 Watt

For items: 5151/5152 5155/5156

This luminaire contains built in LED-lamps that cannot be changed. Energy efficiency category G HARTMANN 100097001, 100097001

**≥**₩€

W 23 H 23

9621

panel lighting 7,68 Watt

For items: 0069 9079

This luminaire contains built in LED-lamps that cannot be changed. Energy efficiency category G

**}**₩€

W 2x23 H 2x23

9622

conc. light display 12 Watt

For item: HM-6139

This luminaire contains built in LED-lamps that cannot be changed. Energy efficiency category G HARTMANN 100097002, 100097002

W 102 H 25

9612

concealed lighting 2,9 Watt For items:

For Items: 7043 7044 7047 7048 7091 7092 7093 7094 7095 7096 7097 7098

This luminaire contains built in LED-lamps that cannot be changed. Energy efficiency category G Klebe 710198227, 32.779.376ww concealed lighting 5,8 Watt For items:

7134 7138

This luminaire contains built in LED-lamps that cannot be changed. Energy efficiency category G Klebe 710198227, 32.779.376ww concealed lighting 8,7 Watt For items:

For items: 0092 0093 0096 0097

This luminaire contains built in LED-lamps that cannot be changed. Energy efficiency category G Klebe 710198227, 32.779.376ww concealed lighting 2,4 Watt

4111/4112 4115/4116 4141/4142 4145/4146

This luminaire contains built in LED-lamps that cannot be changed. Energy efficiency category G Klebe 100093020, 32.757.576ww

WATER THE PARTY OF THE PARTY OF

W 36 9711 SILVANIA SILVANIA SILVANIA

W 36 9712

W 36 9713 **АПЛИЦИПК** W 55

9721

Due to the design, the LED strips are not interchangeable, as they are firmly attached to carrier profiles such as e.g. aluminum profiles and must be glued. In this way, we guarantee a consistently long service life for our lights. We reserve the right to make technical changes to the model and dimensions! Models protected by law! Due to different designs and functions, the dimensions specified on the order confirmation may vary slightly in individual cases.



### www.julianfoye.co.uk

TRURO ST AUSTELL WADEBRIDGE HAYLE Tregolls Road, TR1 1SB 01872 222 226 8 Manfield Way, Holmbush, PL25 3HQ 01726 70 711 Bridgend, PL27 6DA 01208 814 242

4 Fore Street, Copperhouse, TR27 4DY 01736 755 700

Extras	O	ak heartw.Umato brushed	Model no. 7170- C	AYA Typenliste 2024
	concealed lighting 4,8 Watt	panel lighting 3 Watt	shelf light	shelf lighting LED 3,2 Watt
	For items: 4174	For items: 5181 5182	2,4 Watt For Items:	For items: 5181 5182
	4178	5185 5186	1181 1201	5185 5186
	This luminaire contains built in LED-lamps that cannot be changed. Energy efficiency category G Klebe 100093020, 32.757.576ww	This luminaire contains built in LED-lamps that cannot be changed. Energy efficiency category G Klebe 10009712, 32.814.000ww	This luminaire contains built in LED-lamps that cannot be changed. Energy efficiency category G L&S 10009713, 3813511	This luminaire contains built in LED-lamps that cannot be change Energy efficiency category G L&S 10009713, 3813511
		»Me	*	X
	AUDUUUUK	>W4	**	**
	AULAUVAIR	<b>≩</b> ∭€	<sup>炭</sup>	XX
Size in cm	W 55	-		- Marie
Art. no.	9722	9812	9823	9824
	15.5000000		1000000	Shootide (St.)
	conc. light display	conc. light display	conc. light display	panel lighting
	For items:	For items:	For items:	For items:
	0087 0088 0085 0086	7081 7082 7083 7084	3231 3232 3235 3236	6181 6182 6185 6186
				10000000014
	1141 1223 (22 )			THE COLUMN TO SERVICE OF THE SERVICE OF THE COLUMN TO SERVICE OF THE SE
	XIIIAWAK	NAME OF THE PERSON OF THE PERS		NORMAN PROPERTY AND PROPERTY AN
	MANAGER	<b>HARRY</b>	NORMANDAMON	AND CONTRACTOR AND CO
Size in cm	W 2x 46	W 2x 55	W 113	W 4x 30/ 2x 110
Art. no.	9714	9715	9723	9825
	shelf light	panel lighting		4-channel remote control with 1 receiver
	For items:	For item:		- for controlling up to 4 channels
	7231 7232	1161		(secondary) - Different dimming of the individu
	3.555			channels possible 1 transformator possible (max 30
				- 1 transformator possible (max 30
	MATRIAL /			hand sender
	MATERIAL V			hand sender incl. 1 receiver
	**************************************			6 /
	activities and the same and the	MUMUTUM TOWNER -		6 /
Size in cm	Assessment of As	<b>№ 144</b>		6 /
	Proceedings of the Control of the Co	53000 		6 /
Size in cm Art. no.	W 28/2x101/187	W 144 9827		incl. 1 receiver
	W 28/2x101/187	W 144 9827  Multiple socket manual or pedal radio control	Touch switch with on-/off- and dimming function.	incl. 1 receiver
	W 28 / 2x101 / 187 9826  Additional receiver for remote control 0125 necessary for:	W 144 9827  Multiple socket manual or pedal radio control 2 sockets with steady current/	with on-/off- and dimming function. To every order with lighting a touch	incl. 1 receiver
	W 28 / 2x101 / 187 9826  Additional receiver for remote control 0125 necessary for: - Exceeding the transformer load (max 30 W)	W 144 9827  Multiple socket manual or pedal radio control	with on-/off- and dimming function. To every order with lighting a touch s have to be connected by cable. If you require individual switching, ac	0125
	W 28 / 2x101 / 187 9826  Additional receiver for remote control 0125 necessary for: - Exceeding the transformer load (max 30 W) - spatial separation of the elements to be chopped, if they should or can not	W 144 9827  Multiple socket manual or pedal radio control 2 sockets with steady current/	with on-/off- and dimming function. To every order with lighting a touch s have to be connected by cable.	0125
	W 28 / 2x101 / 187 9826  Additional receiver for remote control 0125 necessary for: - Exceeding the transformer load (max 30 W) - spatial separation of the elements to	W 144 9827  Multiple socket manual or pedal radio control 2 sockets with steady current/	with on-/off- and dimming function. To every order with lighting a touch s have to be connected by cable. If you require individual switching, ac	0125
	W 28 / 2x101 / 187 9826  Additional receiver for remote control 0125 necessary for: - Exceeding the transformer load (max 30 W) - spatial separation of the elements to be chopped, if they should or can not	W 144 9827  Multiple socket manual or pedal radio control 2 sockets with steady current/	with on-/off- and dimming function. To every order with lighting a touch s have to be connected by cable. If you require individual switching, ac	0125
	W 28 / 2x101 / 187 9826  Additional receiver for remote control 0125 necessary for: - Exceeding the transformer load (max 30 W) - spatial separation of the elements to be chopped, if they should or can not	W 144 9827  Multiple socket manual or pedal radio control 2 sockets with steady current/	with on-/off- and dimming function. To every order with lighting a touch shave to be connected by cable. If you require individual switching, acred for a charge.  optional	0125
	W 28 / 2x101 / 187 9826  Additional receiver for remote control 0125 necessary for: - Exceeding the transformer load (max 30 W) - spatial separation of the elements to be chopped, if they should or can not	W 144 9827  Multiple socket manual or pedal radio control 2 sockets with steady current/	with on-/off- and dimming function. To every order with lighting a touch shave to be connected by cable. If you require individual switching, acred for a charge.	0125
	W 28 / 2x101 / 187 9826  Additional receiver for remote control 0125 necessary for: - Exceeding the transformer load (max 30 W) - spatial separation of the elements to be chopped, if they should or can not	W 144 9827  Multiple socket manual or pedal radio control 2 sockets with steady current/	with on-/off- and dimming function. To every order with lighting a touch shave to be connected by cable. If you require individual switching, as red for a charge.  optional	0125